

## ANALYZED BY:

Anresco Laboratories  
1375 Van Dyke Avenue,  
San Francisco, CA 94124

## CUSTOMER:

Northwest Natural Goods



## SAMPLE INFORMATION

**Sample No.:** 1304082  
**Product Name:** Wyld Blackberry Lemon  
**Matrix:** Edible (Beverage)  
**Lot #:** BL002

**Date Collected:** 05/13/2025  
**Date Received:** 05/15/2025  
**Date Reported:** 05/21/2025

## TEST SUMMARY

**Cannabinoid Profile:** ✔ Tested

**Pesticide Residue Screen:** ✔ Pass

**Heavy Metal Screen:** ✔ Pass

**Mycotoxin Screen:** ✔ Pass

**Microbiological Screen:** ✔ Pass

**Residual Solvent Screen:** ✔ Pass

**Foreign Material:** ✔ Pass

## Cannabinoid Profile ✔ Tested

05/21/2025

**Method:** MF-CHEM-15

**Instrument:** Liquid Chromatography Diode Array Detector (LC-DAD)

**Limit of Detection** 0.0008 mg/g

**Limit of Quantitation** 0.0025 mg/g

| Cannabinoid                   | mg/g     | %       | mg/ml  | mg/serving | mg/package | Labeled mg/serving | % Difference |
|-------------------------------|----------|---------|--------|------------|------------|--------------------|--------------|
| Δ8-THC                        | ND       | ND      | ND     | ND         | ND         | -                  | -            |
| Δ9-THC                        | 0.0264   | 0.00264 | 0.0264 | 4.70       | 9.40       | 5                  | 5.99         |
| Δ9-THCA                       | ND       | ND      | ND     | ND         | ND         | -                  | -            |
| THCV                          | ND       | ND      | ND     | ND         | ND         | -                  | -            |
| THCVA                         | ND       | ND      | ND     | ND         | ND         | -                  | -            |
| CBD                           | <LOQ     | <LOQ    | <LOQ   | <LOQ       | <LOQ       | -                  | -            |
| CBDA                          | ND       | ND      | ND     | ND         | ND         | -                  | -            |
| CBC                           | ND       | ND      | ND     | ND         | ND         | -                  | -            |
| CBCA                          | ND       | ND      | ND     | ND         | ND         | -                  | -            |
| CBDV                          | ND       | ND      | ND     | ND         | ND         | -                  | -            |
| CBG                           | ND       | ND      | ND     | ND         | ND         | -                  | -            |
| CBGA                          | ND       | ND      | ND     | ND         | ND         | -                  | -            |
| CBN                           | <LOQ     | <LOQ    | <LOQ   | <LOQ       | <LOQ       | -                  | -            |
| Exo-THC                       | ND       | ND      | ND     | ND         | ND         | -                  | -            |
| (6aR,9R)-Δ10-THC              | ND       | ND      | ND     | ND         | ND         | -                  | -            |
| (6aR,9S)-Δ10-THC              | ND       | ND      | ND     | ND         | ND         | -                  | -            |
| 9(R)-Hexahydrocannabinol      | ND       | ND      | ND     | ND         | ND         | -                  | -            |
| 9(S)-Hexahydrocannabinol      | ND       | ND      | ND     | ND         | ND         | -                  | -            |
| Δ8-THC-O-Acetate              | ND       | ND      | ND     | ND         | ND         | -                  | -            |
| Δ9-THC-O-Acetate              | ND       | ND      | ND     | ND         | ND         | -                  | -            |
| THC-O-Phosphate               | NT       | NT      | NT     | NT         | NT         | -                  | -            |
| Total THC                     | 0.0264   | 0.00264 | 0.0264 | 4.70       | 9.40       | -                  | -            |
| Total CBD                     | <LOQ     | ND      | ND     | ND         | ND         | -                  | -            |
| Total Cannabinoids            | 0.0264   | 0.00264 | 0.0264 | 4.70       | 9.40       | -                  | -            |
| Sum of Cannabinoids           | 0.0264   | 0.00264 | 0.0264 | 4.70       | 9.40       | -                  | -            |
| <b>Serving Weight (g)</b>     | 178.0534 |         |        |            |            |                    |              |
| <b>Package Weight (g)</b>     | 356.1068 |         |        |            |            |                    |              |
| <b>g/ml Conversion Factor</b> | 1.0003   |         |        |            |            |                    |              |

Total THC = Δ8-THC + Δ9-THC + (0.877 \* THCA)

Total CBD = CBD + (0.877 \* CBDA)

Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 \* Σ (acidic cannabinoids)]

**Microbiological Screen** ✔ Pass

05/21/2025

| Analyte                   | Findings | Units | Method                   | Limit  | Status |
|---------------------------|----------|-------|--------------------------|--------|--------|
| Salmonella                | ND       | /25g  | AOAC 2016.01             | ND     | Pass   |
| STEC                      | ND       | /25g  | Neogen MDS STEC          | ND     | Pass   |
| Aspergillus               | ND       | /25g  | GENE- UP ASPERGILLUS PRO | ND     | Pass   |
| Listeria Species          | ND       | /25g  | AOAC 2016.07             | ND     | Pass   |
| Total Yeast and Mold      | 0/10     | cfu/g | FDA BAM                  | 10,000 | Pass   |
| Total Aerobic Plate Count | 0/10     | cfu/g | FDA BAM                  | 100    | Pass   |
| Total Coliforms           | 0/10     | cfu/g | FDA BAM - ECC Agar       | 100    | Pass   |
| Total Enterobacteriaceae  | <1       | cfu/g | AOAC 2003.01             | ND     | Pass   |
| Staphylococcus aureus     | <1       | cfu/g | AOAC 2003.07             | ND     | Pass   |

**Pesticide Residue Screen** ✔ Pass

05/19/2025

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) &amp; Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

| Analyte                 | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|-------------------------|---------------|----------------|-------------|--------|
| Abamectin               | 0.04/0.10     | ND             | 0.3         | Pass   |
| Acephate                | 0.02/0.06     | ND             | 5.0         | Pass   |
| Acequinocyl             | 0.04/0.10     | ND             | 4.0         | Pass   |
| Acetamiprid             | 0.017/0.05    | ND             | 5.0         | Pass   |
| Aldicarb                | 0.02/0.06     | ND             | 0.02        | Pass   |
| Azoxystrobin            | 0.02/0.06     | ND             | 40.0        | Pass   |
| Bifenazate              | 0.02/0.06     | ND             | 5.0         | Pass   |
| Bifenthrin              | 0.04/0.10     | ND             | 0.5         | Pass   |
| Boscalid                | 0.02/0.06     | ND             | 10.0        | Pass   |
| Captan                  | 0.2/0.6       | ND             | 5.0         | Pass   |
| Carbaryl                | 0.02/0.06     | ND             | 0.5         | Pass   |
| Carbofuran              | 0.017/0.05    | ND             | 0.017       | Pass   |
| Chlorantraniliprole     | 0.02/0.06     | ND             | 40.0        | Pass   |
| Chlordane               | 0.02/0.06     | ND             | 0.02        | Pass   |
| Chlorfenapyr            | 0.02/0.06     | ND             | 0.02        | Pass   |
| Chlorpyrifos            | 0.02/0.06     | ND             | 0.02        | Pass   |
| Clofentezine            | 0.02/0.06     | ND             | 0.5         | Pass   |
| Coumaphos               | 0.02/0.06     | ND             | 0.02        | Pass   |
| Cyfluthrin              | 0.10/0.30     | ND             | 1.0         | Pass   |
| Cypermethrin            | 0.10/0.30     | ND             | 1.0         | Pass   |
| Daminozide              | 0.017/0.05    | ND             | 0.017       | Pass   |
| DDVP (Dichlorvos)       | 0.013/0.04    | ND             | 0.013       | Pass   |
| Diazinon                | 0.017/0.05    | ND             | 0.2         | Pass   |
| Dimethoate              | 0.017/0.05    | ND             | 0.017       | Pass   |
| Dimethomorph            | 0.017/0.05    | ND             | 20.0        | Pass   |
| Ethoprop(hos)           | 0.02/0.06     | ND             | 0.02        | Pass   |
| Etofenprox              | 0.02/0.06     | ND             | 0.02        | Pass   |
| Etiozole                | 0.02/0.06     | ND             | 1.5         | Pass   |
| Fenhexamid              | 0.017/0.05    | ND             | 10.0        | Pass   |
| Fenoxycarb              | 0.02/0.06     | ND             | 0.02        | Pass   |
| Fenpyroximate           | 0.02/0.06     | ND             | 2.0         | Pass   |
| Fipronil                | 0.02/0.06     | ND             | 0.02        | Pass   |
| Flonicamid              | 0.02/0.06     | ND             | 2.0         | Pass   |
| Fludioxonil             | 0.02/0.06     | ND             | 30.0        | Pass   |
| Hexythiazox             | 0.02/0.06     | ND             | 2.0         | Pass   |
| Imazalil                | 0.02/0.06     | ND             | 0.02        | Pass   |
| Imidacloprid            | 0.02/0.06     | ND             | 3.0         | Pass   |
| Kresoxim Methyl         | 0.02/0.06     | ND             | 1.0         | Pass   |
| Malathion               | 0.017/0.05    | ND             | 5.0         | Pass   |
| Metaxyl                 | 0.017/0.05    | ND             | 15.0        | Pass   |
| Methiocarb              | 0.02/0.06     | ND             | 0.02        | Pass   |
| Methomyl                | 0.013/0.04    | ND             | 0.1         | Pass   |
| Methyl parathion        | 0.02/0.06     | ND             | 0.02        | Pass   |
| Mevinphos               | 0.02/0.06     | ND             | 0.02        | Pass   |
| Myclobutanil            | 0.02/0.06     | ND             | 9.0         | Pass   |
| Naled                   | 0.017/0.05    | ND             | 0.5         | Pass   |
| Oxamyl                  | 0.013/0.04    | ND             | 0.2         | Pass   |
| Paclobutrazol           | 0.02/0.06     | ND             | 0.02        | Pass   |
| Pentachloronitrobenzene | 0.017/0.05    | ND             | 0.2         | Pass   |
| Permethrins             | 0.10/0.30     | ND             | 20.0        | Pass   |
| Phosmet                 | 0.02/0.06     | ND             | 0.2         | Pass   |
| Piperonyl Butoxide      | 0.02/0.06     | ND             | 8.0         | Pass   |

| Analyte                            | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|------------------------------------|---------------|----------------|-------------|--------|
| Prallethrin                        | 0.04/0.10     | ND             | 0.4         | Pass   |
| Propiconazole                      | 0.02/0.06     | ND             | 20.0        | Pass   |
| Propoxur                           | 0.013/0.04    | ND             | 0.013       | Pass   |
| Pyrethrins                         | 0.15/0.50     | ND             | 1.0         | Pass   |
| Pyridaben                          | 0.017/0.05    | ND             | 3.0         | Pass   |
| Spinetoram                         | 0.02/0.06     | ND             | 3.0         | Pass   |
| Spinosad                           | 0.02/0.06     | ND             | 3.0         | Pass   |
| Spiromesifen                       | 0.04/0.10     | ND             | 12.0        | Pass   |
| Spirotetramat                      | 0.02/0.06     | ND             | 13.0        | Pass   |
| Spiroxamine                        | 0.017/0.05    | ND             | 0.017       | Pass   |
| Tebuconazole                       | 0.02/0.06     | ND             | 2.0         | Pass   |
| Thiacloprid                        | 0.013/0.04    | ND             | 0.013       | Pass   |
| Thiamethoxam                       | 0.02/0.06     | ND             | 4.5         | Pass   |
| Trifloxystrobin                    | 0.02/0.06     | ND             | 30.0        | Pass   |
| 2-Phenylphenol                     | 0.08/0.25     | ND             | -           | -      |
| 3,4-Dichloroaniline                | 0.08/0.25     | ND             | -           | -      |
| Acetochlor                         | 0.05/0.15     | ND             | -           | -      |
| Alachlor                           | 0.05/0.15     | ND             | -           | -      |
| Allethrin                          | 0.15/0.50     | ND             | -           | -      |
| Ametryn                            | 0.03/0.10     | ND             | -           | -      |
| Aminocarb                          | 0.03/0.10     | ND             | -           | -      |
| Ancymidol                          | 0.02/0.06     | ND             | -           | -      |
| Anthraquinone                      | 0.05/0.15     | ND             | -           | -      |
| Atrazine                           | 0.03/0.10     | ND             | -           | -      |
| Azadirachtin                       | 0.15/0.50     | ND             | -           | -      |
| Benzovindiflupyr                   | 0.05/0.15     | ND             | -           | -      |
| Biphenyl                           | 0.08/0.25     | ND             | -           | -      |
| Buprofezin                         | 0.03/0.10     | ND             | -           | -      |
| Carbendazim                        | 0.03/0.10     | ND             | -           | -      |
| Chlormequat Chloride               | 0.03/0.10     | ND             | -           | -      |
| Clothianidin                       | 0.03/0.10     | ND             | -           | -      |
| Cyantraniliprole                   | 0.03/0.10     | ND             | -           | -      |
| Cycloate                           | 0.08/0.25     | ND             | -           | -      |
| Cyhalothrin (Lambda)               | 0.15/0.50     | ND             | -           | -      |
| Cyprodinil                         | 0.03/0.10     | ND             | -           | -      |
| Cyromazine                         | 0.03/0.10     | ND             | -           | -      |
| DCPA (Dacthal, Chlorthal-dimethyl) | 0.03/0.10     | ND             | -           | -      |
| Deltamethrin I/II                  | 0.15/0.50     | ND             | -           | -      |
| Diclobutrazol                      | 0.02/0.06     | ND             | -           | -      |
| Diflubenzuron                      | 0.08/0.25     | ND             | -           | -      |
| Dinotefuran                        | 0.05/0.15     | ND             | -           | -      |
| Diphenylamine                      | 0.08/0.25     | ND             | -           | -      |
| Diuron                             | 0.03/0.10     | ND             | -           | -      |
| Dodemorph                          | 0.02/0.06     | ND             | -           | -      |
| Endosulfan I (alpha)               | 0.08/0.25     | ND             | -           | -      |
| Endosulfan II (beta)               | 0.08/0.25     | ND             | -           | -      |
| Endosulfan Sulfate                 | 0.08/0.25     | ND             | -           | -      |
| Ethirimol                          | 0.02/0.06     | ND             | -           | -      |
| Etridiazole                        | 0.15/0.50     | ND             | -           | -      |
| Fensulfothion                      | 0.02/0.06     | ND             | -           | -      |
| Fenthion                           | 0.03/0.10     | ND             | -           | -      |
| Fenvalerate                        | 0.03/0.10     | ND             | -           | -      |
| Fluopyram                          | 0.02/0.06     | ND             | -           | -      |
| Flurprimidol                       | 0.03/0.10     | ND             | -           | -      |
| Flutriafol                         | 0.05/0.15     | ND             | -           | -      |
| Formetanate HCl                    | 0.03/0.10     | ND             | -           | -      |
| Hexaconazole                       | 0.05/0.15     | ND             | -           | -      |
| Hydramethylnon                     | 0.05/0.15     | ND             | -           | -      |
| Indole-3-butyric Acid              | 0.08/0.25     | ND             | -           | -      |
| Indoxacarb                         | 0.05/0.15     | ND             | -           | -      |
| Iprodione                          | 0.15/0.50     | ND             | -           | -      |
| Mandipropamid                      | 0.03/0.10     | ND             | -           | -      |
| Metaflumizone                      | 0.08/0.25     | ND             | -           | -      |
| Methoprene                         | 0.15/0.50     | ND             | -           | -      |
| Methoxyfenozide                    | 0.02/0.06     | ND             | -           | -      |
| Metolachlor                        | 0.05/0.15     | ND             | -           | -      |
| MGK 264                            | 0.03/0.10     | ND             | -           | -      |
| Novaluron                          | 0.05/0.15     | ND             | -           | -      |
| Nuarimol                           | 0.05/0.15     | ND             | -           | -      |
| o,p'-DDD                           | 0.03/0.10     | ND             | -           | -      |

| Analyte                 | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|-------------------------|---------------|----------------|-------------|--------|
| o,p'-DDE                | 0.03/0.10     | ND             | -           | -      |
| o,p'-DDT                | 0.03/0.10     | ND             | -           | -      |
| p,p'-DDD                | 0.03/0.10     | ND             | -           | -      |
| p,p'-DDE                | 0.03/0.10     | ND             | -           | -      |
| p,p'-DDT                | 0.03/0.10     | ND             | -           | -      |
| Pendimethalin           | 0.08/0.25     | ND             | -           | -      |
| Pentachloroaniline      | 0.03/0.10     | ND             | -           | -      |
| Pentachloroanisole      | 0.10/0.30     | ND             | -           | -      |
| Pentachlorobenzene      | 0.03/0.10     | ND             | -           | -      |
| Pentachlorobenzonitrile | 0.03/0.10     | ND             | -           | -      |
| Phenothrin              | 0.08/0.25     | ND             | -           | -      |
| Pirimicarb              | 0.02/0.06     | ND             | -           | -      |
| Prometryne              | 0.02/0.06     | ND             | -           | -      |
| Propamocarb             | 0.08/0.25     | ND             | -           | -      |
| Propargite              | 0.08/0.25     | ND             | -           | -      |
| Propyzamide             | 0.05/0.15     | ND             | -           | -      |
| Pymetrozine             | 0.03/0.10     | ND             | -           | -      |
| Pyraclostrobin          | 0.03/0.10     | ND             | -           | -      |
| Pyrimethanil            | 0.03/0.10     | ND             | -           | -      |
| Pyriproxyfen            | 0.05/0.15     | ND             | -           | -      |
| Quinoxifen              | 0.03/0.10     | ND             | -           | -      |
| Resmethrin              | 0.15/0.50     | ND             | -           | -      |
| Spirodiclofen           | 0.15/0.50     | ND             | -           | -      |
| Sulfoxaflo              | 0.03/0.10     | ND             | -           | -      |
| Tau-Fluvalinate         | 0.08/0.25     | ND             | -           | -      |
| Tebufenozide            | 0.03/0.10     | ND             | -           | -      |
| Teflubenzuron           | 0.08/0.25     | ND             | -           | -      |
| Terbutryn               | 0.02/0.06     | ND             | -           | -      |
| Tetrachlorvinphos       | 0.15/0.50     | ND             | -           | -      |
| Tetramethrin            | 0.15/0.50     | ND             | -           | -      |
| Thiabendazole           | 0.02/0.06     | ND             | -           | -      |
| Thiobencarb             | 0.03/0.10     | ND             | -           | -      |
| Thiophanate-methyl      | 0.02/0.06     | ND             | -           | -      |
| Tricyclazole            | 0.02/0.06     | ND             | -           | -      |
| Triflumizole            | 0.05/0.15     | ND             | -           | -      |

## Residual Solvent Screen ✔ Pass

05/19/2025

Method: MF-CHEM-32

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

| Analyte                              | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|--------------------------------------|---------------|----------------|-------------|--------|
| 1,2-Dichloroethane                   | 0.5/0.5       | ND             | 1           | Pass   |
| Acetone                              | 57/200        | ND             | 5000        | Pass   |
| Acetonitrile                         | 56/200        | ND             | 410         | Pass   |
| Benzene                              | 0.5/0.5       | ND             | 1           | Pass   |
| n-Butane                             | 45/200        | ND             | 5000        | Pass   |
| Chloroform                           | 0.5/0.5       | ND             | 1           | Pass   |
| Ethanol                              | 37/200        | 2260.00        | 5000        | Pass   |
| Ethyl acetate                        | 38/200        | ND             | 5000        | Pass   |
| Ethyl ether                          | 37/200        | ND             | 5000        | Pass   |
| Ethylene oxide                       | 0.1/0.5       | ND             | 1           | Pass   |
| n-Heptane                            | 135/200       | ND             | 5000        | Pass   |
| n-Hexane                             | 49/200        | ND             | 290         | Pass   |
| Isopropyl alcohol                    | 57/200        | ND             | 5000        | Pass   |
| Methanol                             | 37/200        | <LOQ           | 3000        | Pass   |
| Methylene chloride                   | 0.1/0.5       | ND             | 1           | Pass   |
| n-Pentane                            | 37/200        | ND             | 5000        | Pass   |
| Propane                              | 72/200        | ND             | 5000        | Pass   |
| Toluene                              | 49/200        | ND             | 890         | Pass   |
| Total xylenes (ortho-, meta-, para-) | 58/200        | ND             | 2170        | Pass   |
| Trichloroethylene                    | 0.5/0.5       | ND             | 1           | Pass   |

## Heavy Metal Screen ✔ Pass

05/19/2025

**Method:** MF 24E020

**Instrument:** Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

| Analyte | LOD / LOQ (µg/g) | Findings (µg/g) | Limit | Status |
|---------|------------------|-----------------|-------|--------|
| Arsenic | 0.02/0.05        | ND              | 0.2   | Pass   |
| Cadmium | 0.02/0.05        | ND              | 0.2   | Pass   |
| Mercury | 0.02/0.05        | ND              | 0.1   | Pass   |
| Lead    | 0.02/0.05        | ND              | 0.5   | Pass   |

## Foreign Material ✔ Pass

05/19/2025

**Method:** MF-CHEM-7

| Analyte                        | Findings | Limit    | Status |
|--------------------------------|----------|----------|--------|
| Sand, Soils, Cinders, and Dirt | ND       | 25%      | Pass   |
| Mold                           | ND       | 25%      | Pass   |
| Imbedded Foreign Material      | ND       | 25%      | Pass   |
| Insect Fragment                | ND       | 1 per 3g | Pass   |
| Hair                           | ND       | 1 per 3g | Pass   |
| Mammalian Excreta              | ND       | 1 per 3g | Pass   |

## Mycotoxin Screen

05/19/2025

**Method:** MF-CHEM-13

**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

| Analyte          | LOD/LOQ (ppb) | Findings (ppb) | Limit (ppb) | Status |
|------------------|---------------|----------------|-------------|--------|
| Aflatoxin B1     | 2/5           | ND             | -           | -      |
| Aflatoxin B2     | 2/5           | ND             | -           | -      |
| Aflatoxin G1     | 2/5           | ND             | -           | -      |
| Aflatoxin G2     | 2/5           | ND             | -           | -      |
| Total Aflatoxins | 8/20          | ND             | 20          | Pass   |
| Ochratoxin A     | 6/18          | ND             | 20          | Pass   |

ND = None Detected  
 LOD = Limit of Detection  
 LOQ = Limit of Quantitation

**Reported by**



Vu Lam  
 Lab Co Director



Scan to verify